

Application No.: 09/679,166  
Reply to Office Action of September 24, 2003

Atty. Docket No.: RTN2-114PUS  
(formerly 99E052)

**Amendments to the Claims** are reflected in the listing of claims that begins on page 3 of this paper.

**Remarks/Arguments** begin on page 5 of this paper.

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (presently amended) A liquid crystal cell, comprising:
  - a first substrate;
  - a plurality of parallel columns of director alignment material disposed on a surface of the first substrate, each one of the columns having a longitudinal axis disposed at an oblique angle with respect the surface of the first substrate, each one of the columns terminating in a distal end having a substantially flat surface a surface substantially flat and substantially parallel to the surface of the first substrate;
  - a second substrate; and
  - a liquid crystal material disposed between the surfaces of the first and second substrates with portions of such liquid crystal material being in contact with the parallel columns of director alignment material.
2. (presently amended) A liquid crystal substrate structure, comprising:
  - a substrate;
  - a plurality of parallel columns of director alignment material disposed on a surface of the substrate, each one of the columns having a longitudinal axis disposed at an oblique angle with respect the surface of the substrate, each one of the columns terminating in a distal end having a surface substantially flat and substantially parallel to the surface of the substrate. a substantially flat surface.
3. (withdrawn) A method for forming a liquid crystal substrate structure, comprising:
  - providing a substrate in a chamber;

subjecting a surface of the substrate to a deposition flux of director alignment material with such flux passing to the substrate surface along a first axis having an oblique angle with respect to the surface of the substrate with a beam of particle being directed to the surface of the substrate along a second axis, the second axis being at an obtuse angle with respect to the first axis to produce a director alignment layer; disposing a liquid crystal material on the director alignment layer.

4. (withdrawn) A method for forming a liquid crystal cell, comprising:  
providing a liquid crystal cell substrate in a vacuum chamber having an electron beam evaporation source for producing a flux of director alignment material from the source along a first direction, a substrate holder, and an ion gun for directing ions towards the surface of the substrate along a direction opposite to the first direction; affixing a substrate to the substrate holder with a surface of the affixed substrate disposed an oblique angle with respect to the first direction;  
producing in the chamber a plurality of columns of the director alignment material comprising activating the evaporation source of the director alignment material and the ion gun to produce the flux of director alignment material from the source along the first direction with the an ion gun for directing ions towards the surface of the substrate along the direction opposite to the first direction;  
removing the substrate with the columns of director alignment material from the chamber;  
placing a liquid crystal material on the produced director alignment layer.